

Implementing Label Changes per Container- Containment Rule

Big Job

End use products

Manufacturing use products

Label Changes

Normally, ~30% annually

With Rule, 100% in 2 years

Least Disruption

Routine business practices

Label approvals before printing

EPA Resources

PR Notice 2007- 4

Q & A

Presentations

Nancy Fitz and team



The Chemical Company

Group **3** | **11** Fungicide



For use in disease control and plant health in the following crops:
barley, oats, rye, triticale and wheat

Active Ingredients:

pyraclostrobin*: (carbamic acid, [2-[[1-(4-chlorophenyl)-1H-pyrazol-3-yl]oxy)methyl]phenyl)methoxy-methyl ester	12.0%
metconazole**: 5-[[4-chlorophenyl)methyl]-2,2-dimethyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol	7.4%
Other Ingredients***:	80.6%
Total:	100.0%

*Equivalent to 1.083 pounds of pyraclostrobin per gallon.

**Equivalent to 0.67 pound of metconazole per gallon.

***Contains petroleum distillates

EPA Reg. No. 7969-247

EPA Est. No.

**KEEP OUT OF REACH OF CHILDREN
WARNING/AVISO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

See inside for complete First Aid, Precautionary Statements, Directions For Use, and Conditions of Sale and Warranty.

In case of an emergency endangering life or property involving this product, call day or night 1-800-832-HELP (4357).

Net Contents:

BASF Corporation
26 Davis Drive, Research Triangle Park, NC 27709

FIRST AID	
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • DO NOT give any liquid to the person. • DO NOT induce vomiting unless told to do so by a poison control center or doctor. • DO NOT give anything by mouth to an unconscious person.
If in eyes	<ul style="list-style-type: none"> • Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after first 5 minutes; then continue rinsing eyes. • Call a poison control center for treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance; then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center for further treatment advice.
<p>Note to physician: Probable mucosal damage may contraindicate the use of gastric lavage. Contains petroleum distillates - vomiting may cause aspiration pneumonia.</p>	
<p>HOT LINE NUMBER</p> <p>Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact BASF Corporation for emergency medical treatment information: 1-800-832-HELP (4357).</p>	

Precautionary Statements	User Safety Recommendation
<p>HAZARDS TO HUMANS AND DOMESTIC ANIMALS</p> <p>WARNING. May be fatal if swallowed. Causes substantial but temporary eye injury. DO NOT get in eyes or clothing. Harmful if inhaled. Avoid breathing vapor or spray mist.</p> <p>Personal Protective Equipment (PPE) Some materials that are chemically resistant to this product are listed below. For more options, refer to Category A on an EPA chemical-resistance category selection chart.</p> <p>Applicators and other handlers must wear:</p> <ul style="list-style-type: none"> • Coveralls over short-sleeved shirt and short pants • Protective eyewear (goggles, face shield, or safety glasses with front, brow, and temple protection) • Socks • Chemical-resistant footwear • Chemical-resistant gloves made of any waterproof material (such as nitrile, butyl, neoprene and/or barrier laminate) • Chemical-resistant headgear for overhead exposure • Chemical-resistant apron when cleaning equipment, mixing, and loading <p>Follow the manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.</p> <p>Engineering Controls Statement When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.</p>	<p>Users should:</p> <ul style="list-style-type: none"> • Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. • Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. • Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. <p>Environmental Hazards This pesticide is toxic to fish and aquatic invertebrates. Drift or runoff may be hazardous to aquatic organisms in water adjacent to treated areas. DO NOT apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. DO NOT contaminate water when disposing of equipment wash water or rinsate.</p> <p>Groundwater Advisory This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.</p> <p>Surface Water Advisory This product may contaminate water through drift of spray in wind. This product has a high potential for runoff for several months or more after application. Poorly draining soils or soils with shallow water tables are more prone to runoff that contains this product. A level, well-maintained vegetative buffer strip between areas to which this product is applied and surface water features, such as ponds, streams, and springs, will reduce the potential for</p>

contamination of water from rainfall runoff. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours. Sound erosion control practices will reduce this product's contribution to surface water contamination.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. **DO NOT** apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard (WPS), 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

DO NOT enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours for all crops.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Protective eyewear (goggles, face shield, or safety glasses with front, brow, and temple protection)
- Chemical-resistant gloves made of any waterproof material (such as nitrile, butyl, neoprene, and/or barrier laminate)
- Shoes plus socks

Storage and Disposal

DO NOT contaminate water, food, or feed by storage or disposal.

Pesticide Storage. Store in original containers only. Keep container closed when not in use. **DO NOT** store near food or feed. In case of spill on floor or paved surfaces, mop and remove to chemical waste storage area until proper disposal can be made if product cannot be used according to label.

Storage and Disposal (continued)

Pesticide Disposal. Wastes resulting from using this product may be disposed of on site or at an approved waste disposal facility. If these wastes cannot be disposed of according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representatives at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Nonrefillable Container. DO NOT reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying; then offer for recycling, if available, or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures approved by state and local authorities.

Triple rinse containers small enough to shake (capacity ≤ 5 gallons) as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank, or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Triple rinse containers too large to shake (capacity > 5 gallons) as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank, or store rinsate for later use or disposal. Repeat this procedure two more times.

Pressure rinse as follows: Empty the remaining contents into application equipment or mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank, or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

Refillable Container. Refill this container with pesticide only. **DO NOT** reuse this container for any other purpose. Triple rinsing the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

Triple rinse as follows: To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10% full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

Storage and Disposal (continued)

Refillable Container (continued)

When this container is empty, replace the cap and seal all openings that have been opened during use; return the container to the point of purchase or to a designated location. This container must only be refilled with a pesticide product. **DO NOT** reuse the container for any other purpose. Prior to refilling, inspect carefully for damage such as cracks, punctures, abrasions, worn-out threads and closure devices. Check for leaks after refilling and before transport. **DO NOT** transport if this container is damaged or leaking. If the container is damaged, or leaking, or obsolete and not returned to the point of purchase or to a designated location, triple rinse emptied container and offer for recycling, if available, or dispose of container in compliance with state and local regulations.

In Case of Spill

In case of large-scale spillage regarding this product, call:

CHEMTREC 1-800-424-0300
BASF Corporation 1-800-832-HELP (4357)

Steps to be taken in case material is released or spilled:

Dike and contain the spill with inert material (sand, earth, etc.) and transfer liquid and solid diking material to separate containers for disposal. Remove contaminated clothing and wash affected skin areas with soap and water. Wash clothing before reuse. Keep the spill out of all sewers and open bodies of water.

General Information

TwinLine™ fungicide is a broad-spectrum fungicide containing 2 active ingredients, pyraclostrobin and metconazole. **TwinLine** provides systemic, curative and long-lasting residual control of target plant diseases.

To maximize disease control and improve plant health, apply **TwinLine** in a regularly scheduled protective spray program and use in a rotation program with other fungicides.

TwinLine is not for use in greenhouse or transplant production.

Mode of Action

Each of the components in **TwinLine** provides a different mode of action against plant pathogenic fungi. Pyraclostrobin belongs to the group of respiration inhibitors classified by the US EPA and Canada PMRA as Quinone Outside Inhibitors (QoI) or target site of action Group 11 fungicides. Metconazole inhibits demethylation of sterol biosynthesis (DMI), disrupting cell membrane synthesis or target site of action Group 3 fungicides.

Resistance Management

TwinLine contains pyraclostrobin, a Group 11 fungicide, and is effective against pathogens resistant to fungicides with modes of action different from those of QoI fungicides

(target site Group 11), such as dicarboximides, sterol inhibitors, benzimidazoles, or phenyl-amides.

Fungal isolates resistant to Group 11 fungicides, such as pyraclostrobin, azoxystrobin, fluoxastrobin, trifloxystrobin, and kresoxim-methyl, may eventually dominate the fungal population if Group 11 fungicides are used predominantly and repeatedly in the same field in successive years as the primary method of control for the targeted pathogen species. This may result in reduction of disease control by **TwinLine** or other Group 11 fungicides.

To maintain the performance of **TwinLine** in the field, **DO NOT** exceed the maximum seasonal use rate or the total number of applications of **TwinLine** per season and the maximum number of applications of **TwinLine** stated in **General Restrictions and Limitations - All Crops and TwinLine Crop-specific Directions For Use**. Adhere to the label instructions regarding the use of **TwinLine** or other target site of action Group 11 fungicides that have a similar site of action on the same pathogens.

Resistance Management Advisory

The following recommendations may be considered to delay the development of fungicide resistance:

1. Tank Mixtures. Use tank mixtures with effective fungicides from different target site of action groups that are registered/permitted for the same use and that are effective against the pathogens of concern.

Use at least the minimum labeled rates of each fungicide in the tank mix.

2. Integrated Pest Management (IPM). **TwinLine** should be integrated into an overall disease and pest management program. Cultural practices known to reduce disease development should be followed. Consult your local extension specialist, certified crop advisor and/or BASF representative for additional IPM strategies established for your area. **TwinLine** may be used in agricultural extension advisory (disease forecasting) programs which recommend application timing based on environmental factors favorable for disease development.

3. Monitoring. Monitor efficacy of all fungicides used in the disease management program against the targeted pathogen and record other factors that may influence fungicide performance and/or disease development.

Cleaning Spray Equipment

Spraying equipment must be cleaned thoroughly before and after applying this product, particularly if a product with the potential to injure crops was used prior to **TwinLine**.

Directions For Use Through Sprinkler Irrigation Systems

Sprayer Preparation. Chemical tank and injector system should be thoroughly cleaned. Flush system with clean water.

Application Instructions. Apply **TwinLine** at rates and timings as required in this label.

New Language

Storage and Disposal

DO NOT contaminate water, food or feed by storage or disposal.

Pesticide Storage.

Pesticide Disposal.

CONTAINER DISPOSAL

Nonrefillable Container. DO NOT reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying; then offer for recycling, if available, or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures approved by state and local authorities.

New Language (cont.)

Triple rinse containers small enough to shake (capacity ≤ 5 gallons) as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank, or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

New Language (cont.)

Triple rinse containers too large to shake (capacity > 5 gallons) as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank, or store rinsate for later use or disposal. Repeat this procedure two more times.

Triple Rinse Video from ACRC



New Language (cont.)

Pressure rinse as follows: Empty the remaining contents into application equipment or mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank, or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

New Language (cont.)

Refillable Container. Refill this container with pesticide only. **DO NOT** reuse this container for any other purpose. Triple rinsing the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

Triple rinse as follows: To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10% full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

Bulk Container Storage and Disposal Language (Cont.)

When this container is empty, replace the cap and seal all openings that have been opened during use; return the container to the point of purchase or to a designated location. This container must only be refilled with a pesticide product. Prior to refilling, inspect carefully for damage such as cracks, punctures, abrasions, worn-out threads and closure devices. Check for leaks after refilling and before transport. **DO NOT** transport if this container is damaged or leaking. If the container is damaged, or leaking, or obsolete and not returned to the point of purchase or to a designated location, triple rinse emptied container and offer for recycling, if available, or dispose of container in compliance with state and local regulations.



The Chemical Company

Perfekthion™ Manufacturer's Concentrate

Active Ingredient

Dimethoate (0, 0-dimethyl S-[N-(methylcarbamoyl) methyl]phosphorodithioate).....95.0%

Other Ingredients5.0%

Total.....100.0%

EPA Reg. No.: 7969-32

EPA Est. No:

KEEP OUT OF REACH OF CHILDREN WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

Precautionary Statements

Hazards to Humans and Domestic Animals

WARNING. May be fatal if swallowed or inhaled. Harmful if absorbed. Causes substantial but temporary eye injury. DO NOT get in eyes, on skin, or on clothing. DO NOT breathe dust or vapors. Wear protective clothing, rubber gloves and a mask or pesticide respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health. Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before re-use.

Environmental Hazard Statement

This pesticide is toxic to wildlife and aquatic invertebrates. DO NOT discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. DO NOT discharge effluent containing the product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

FIRST AID	
Contains an organophosphate that inhibits cholinesterase.	
If swallowed	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by a poison control center or doctor. DO NOT give anything by mouth to an unconscious person.
If in eyes	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact BASF Corporation for emergency medical treatment information: 1-800-832-HELP (4357).

Note to Physician: This product may cause cholinesterase inhibition. Atropine is antidotal. Pralidoxime chloride (2-PAM; PROTOPAM chloride) may be effective as an adjunct to atropine. Use according to directions.

In Case of Emergency

In case of large scale spillage in the U.S. regarding this product, call:
CHEMTREC.....1-800-424-9300

BASF Corporation.....1-800-832-HELP (4357)

Steps to be taken in case material is released or spilled. Dike and contain spill with inert material (sand, earth,

Directions For Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. THIS PRODUCT IS TO BE USED SOLELY FOR FORMULATION INTO END-USE PRODUCTS FOR AGRICULTURAL USE ONLY. DO NOT use or formulate this product into any products for use on houseflies. The formulation restrictions are described below. DO NOT USE THIS PRODUCT TO FORMULATE END-USE PRODUCTS FOR: a) any use in or around a structure used as a residence or domestic dwelling, or on any articles or areas associated with such structures (including household contents, home gardens, and home greenhouses), or b) any use in public or private building or structure (including recreational facilities, theaters, hotels, resorts, or other buildings used for public accommodation, or in any other commercial, industrial, or institutional building), or on any articles or areas associated with such structures, including refuse areas, building contents and landscaping (but not including outdoor commercial ornamental tree and shrub production areas).

For Formulation Use Only

The end use product should be formulated on an assay basis. Only for formulation into an insecticide for the following uses: alfalfa, alfalfa for seed, asparagus, beans (excluding cowpeas), broccoli, Brussels sprouts, cauliflower, celery, cherries, Christmas tree farms, conifer seed farms, cotton, endive, field corn, grass grown for seed, herbaceous ornamentals in commercial nurseries, grapefruit, leaf lettuce (except head lettuce), lemons, lentils, kale, melons, mustard greens, oranges, pears, peas, pecans, peppers, popcorn, potatoes, safflower, sorghum, soybeans, Swiss chard, tangerines, tangelos, tomatoes, turnips, watermelons, wheat, cottonwood grown for pulp, and woody ornamentals in commercial nurseries or. Not for formulation into wettable powder end use products (EUP), unless the EUP is packaged in water soluble bags. Not for formulation into end use products intended for use by homeowners or that permit use at residential sites. This product may be used to formulate products for specific use(s) not listed on the technical label if the formulator, user group, or grower has complied with U.S. EPA data submission requirements regarding support of such use(s).

Storage and Disposal

DO NOT contaminate water, food, or feed by storage or disposal. **Pesticide Storage:** Store in original container in a well-ventilated area separately from fertilizer, feed and foodstuffs. Avoid cross-contamination with other pesticides. Dimethoate is stable for a long period when stored under temperatures not exceeding 20/23 °C (68/74°F). Dimethoate should not be heated above 35°C (95°F). At higher temperatures dimethoate will decompose rapidly. **Pesticide Disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate violates federal law. If these wastes cannot be disposed of according to label instructions, contact the state agency responsible for pesticide regulation or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **Container Disposal:** **Drum Liner:** Nonrefillable Container. DO NOT reuse or refill this container. Completely empty removable liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment, then dispose of empty liner in a sanitary landfill or by incineration, or by other procedures approved by state and local authorities. **Drum:** Refillable Container. Refill this container with pesticide only. DO NOT reuse this container for any other purpose. If drum is contaminated and cannot be reused, triple rinse the container before final disposal. Triple rinsing is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. Triple rinse as follows: To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10% full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Dispose of rinsate in compliance with state and local regulations for pesticide products. When this container is empty, replace the cap and seal all openings that have been opened during use; return the container to the point of purchase or to a designated location. This container must only be refilled with a pesticide product. DO NOT reuse the container for any other purpose. Prior to refilling, inspect carefully for damage such as cracks, punctures, abrasions, worn-out threads and closure devices. Check for leaks after refilling and before transport. DO NOT transport if this container is damaged or leaking. If the container is damaged, or leaking, or obsolete and not returned to the point of purchase or to a designated location, triple rinse emptied container and offer for recycling, if available, or dispose of container in compliance with state and local regulations.

Conditions of Sale and Warranty

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions For Use, subject to the inherent risks, referred to above. To the extent consistent with applicable law, BASF makes no other express or implied warranty of fitness or merchantability or any other express or implied warranty. To the extent consistent with applicable law, Buyer's exclusive remedy and BASF's exclusive liability, whether in contract, tort, negligence, strict liability, or otherwise, shall be limited to repayment of the purchase price of the product. To the extent consistent with applicable law, BASF and the Seller disclaim any liability for consequential, special or indirect damages resulting from the use or handling of this product.

Solid Dilutable Technical in Drum with Liner

CONTAINER DISPOSAL

Drum Liner

Nonrefillable Container. DO NOT reuse or refill this container. Completely empty removable liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment; then dispose of empty liner in a sanitary landfill or by incineration, or by other procedures approved by state and local authorities.

Drum

Refillable Container. Refill this container with pesticide only. DO NOT reuse this container for any other purpose. If drum is contaminated and cannot be reused, triple rinse the container before final disposal. Triple rinsing is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

Triple rinse as follows: To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10% full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Dispose of rinsate in compliance with state and local regulations for pesticide products.

Technical in Supersack

CONTAINER DISPOSAL (supersack)

Nonrefillable Container: DO NOT reuse or refill this container. Completely empty bag into application equipment; then dispose of empty bag in a sanitary landfill or by incineration, or by other procedures approved by state and local authorities.